

T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690



Model No.

B-0712-PA

G. #A2601 Item No.

Travelers Rest, SC: 800-476-4103 Simi Valley, CA: 800-423-0150 Fax: 864-834-3518 www.tsbrass.com

This Space for Architect/Engineer Approval

Job Name______Date____

Model Specified_____Quantity____

Customer/Wholesaler_____

Contractor_____

Architect/Engineer____




238AB-PA
Pivot Action
Metering Cartridge
w/ Blank Handle and
Vandal Resistant Screw

B-0199-02
2.2 GPM
Aerator

Vandal Resistant Screw. Loosen Screw (Do Not Remove) and Flip Handle Up to Access Metering Adjustment. (Metering Adjustment Requires 3/32" Hex Key)

1 1/16" [27mm]



Furnished w/ Spanner Bit for Vandal Resistant Screw.

Furnished with (1) Tailpiece and Nut for Optional 1/4" NPT Connection

Rough-In: Ø1 1/8" Hole

Product Specifications:

Single Temperature Basin Faucet w/ 1/2" NPSM Male Shank, Pivot Action Metering Cartridge and 2.2 GPM Aerator

Remove Tailpiece for 1/2" NPSM Male Shank

4 1/8"

[105mm]

Drawn DMH	Checked GEF	Approved JHB
Scale:		Date:
1:2		10/03/08

Sheet: 1 of 2



T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690




Model No.


B-0712-PA

G. #A2601 Item No.

Travelers Rest, SC: 800-476-4103 Simi Valley, CA: 800-423-0150 Fax: 864-834-3518 www.tsbrass.com



ITEM NO.	SALES NO.	DESCRIPTION	
1	PA-N	Retaining Nut	
2	PA-B	Blank Pivot Action Handle Assembly w/ Retaining Nut and Spanner Bit	
3	238A-PA	Pivot Action Metering Cartridge w/ Retaining Nut	
4	238AB-PA	Pivot Action Metering Cartridge w/ Blank	
5	001000-45	Rosette Washer	
6	002954-45	Shank Lock Nut	
7	150A	Nut and Tailpiece Assembly	
8	001043-45	Washer	
9	044A	3/8" to Aerator Adapter	
10	B-0199-02	Aerator Assembly	





Spanner Bit for Vandal Resistant Screw 014734-45



Pivot Action Handle Vandal Resistant Screw 016654-45

Product Specifications:

Single Temperature Basin Faucet w/ 1/2" NPSM Male Shank, Pivot Action Metering Cartridge and 2.2 GPM Aerator

Drawn	Checked	Approved
DMH	GEF	JHB
Scale:		Date:
1:2		10/03/08

Sheet: 2 of 2